



Ref. Certif. No.

**DK-74789-UL**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product

Switching Power Supply

Name and address of the applicant

MEAN WELL Enterprise Co., Ltd.  
No. 28, Wuquan 3rd Rd., Wugu Dist., New Taipei City, 248  
Taiwan

Name and address of the manufacturer

MEAN WELL Enterprise Co., Ltd.  
No. 28, Wuquan 3rd Rd., Wugu Dist., New Taipei City, 248  
Taiwan

Name and address of the factory

Mean Well Enterprises Co., Ltd.  
No. 28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248,  
Taiwan

Note: When more than one factory, please report on page 2

[Additional Information on page 2](#)

Ratings and principal characteristics

I/P: EPS-25-y: 100-240Vac, 0.6A, 50/60Hz;  
EPS-35-y: 100-240Vac, 0.75A, 50/60Hz  
O/P: See Test Report for details.

Trademark (if any)



Type of Customer's Testing Facility (CTF) Stage used

CTF Stage 1

Model / Type Ref.

EPS-x-yz  
(x=25, 35; y=3.3, 5, 7.5, 12, 15, 24, 27, 36, 48)

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to EN 62368-1:2014/A11:2017. National Differences specified in the CB Test Report.

[Additional Information on page 2](#)

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

E183223-4788449125-1 original issued on 2018-07-13

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2018-07-17

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-74789-UL**

**Factories:**

SuZhou Mean Well Technology Co., Ltd.

No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang cheng District, Suzhou, Jiangsu 215152, P.R. China

MEAN WELL (Guangzhou) Electronics Co., Ltd., Huadu Branch

No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

**Additional information (if necessary)**



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/nbcnames](http://www.ul.com/nbcnames)

Date: 2018-07-17

Signature:

Jan-Erik Storgaard




Ref. Certif. No.

**DK-74789-M1-UL**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product	Switching Power Supply
Name and address of the applicant	MEAN WELL Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu Dist., New Taipei City, 248 Taiwan
Name and address of the manufacturer	MEAN WELL Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu Dist., New Taipei City, 248 Taiwan
Name and address of the factory	Mean Well Enterprises Co., Ltd. No. 28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248, Taiwan
Note: When more than one factory, please report on page 2	<input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	I/P: EPS-25-y: 100-240Vac, 0.6A, 50/60Hz; EPS-35-y: 100-240Vac, 0.75A, 50/60Hz O/P: See Test Report for details.
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	CTF Stage 1
Model / Type Ref.	EPS-x-y <input checked="" type="checkbox"/> Additional Information on page 2
Additional information (if necessary may also be reported on page 2)	The report was revised to include technical modifications. <input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	E183223-4788449125-1 Am1 issued on 2021-05-19

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2021-05-20  
Original Issue Date: 2018-07-17

Signature:  
Jan-Erik Storgaard

**Factories:**

SuZhou Mean Well Technology Co., Ltd.

No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind. Park, Huang-dai Town, Xiang-cheng District, Suzhou, Jiangsu 215152, P.R. China

MEAN WELL (Guangzhou) Electronics Co., Ltd., Huadu Branch

No.11 Jingu South Road, Huadong Town, Huadu District, Guangzhou, China

**Additional Model(s):**

**Series:** EPS-x-y, (x=25, 35, y=3.3, 5, 7.5, 12, 15, 24, 27, 36, 48)

**Additionally evaluated to:**

EN 62368-1:2014/A11:2017, EN 62368-1:2014

National Differences specified in the CB Test Report.

**Summary of Modifications:**

- (1) To add certified Mfg. and Types of bleeder resistors (R1, R2).;
- (2) To delete the test results of single fault conditions in table 5.5.2.2.;
- (3) To add the description of National Differences for BS EN 62368-1:2014+A11:2017.;
- (4) To correct name of applicant and manufacture.
- (5) To correct model name on certificate.

**Additional information (if necessary)**

- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2021-05-20

Original Issue Date: 2018-07-17

Signature:



Jan-Erik Storgaard




Ref. Certif. No.

**DK-74789-M2-UL**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product	Switching Power Supply
Name and address of the applicant	MEAN WELL ENTERPRISES CO LTD No 28 Wuquan 3rd Rd Wugu District New Taipei City 24891 Taiwan
Name and address of the manufacturer	MEAN WELL ENTERPRISES CO LTD No 28 Wuquan 3rd Rd Wugu District New Taipei City 24891 Taiwan
Name and address of the factory	MEAN WELL Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu District, New Taipei City 24891, Taiwan
Note: When more than one factory, please report on page 2	<input checked="" type="checkbox"/> <a href="#">Additional Information on page 2</a>
Ratings and principal characteristics	I/P: EPS-25-y: 100-240Vac, 0.6A, 50/60Hz , EPS-35-y: 100-240Vac, 0.75A, 50/60Hz <input checked="" type="checkbox"/> <a href="#">Additional Information on page 2</a>
Trademark / Brand (if any)	
Customer's Testing Facility (CTF) Stage used	CTF Stage 1
Model / Type Ref.	EPS-x-y <input checked="" type="checkbox"/> <a href="#">Additional Information on page 2</a>
Additional information (if necessary may also be reported on page 2)	<b>Additionally evaluated to:</b> EN 62368-1:2014, EN 62368-1:2014/A11:2017 The report was revised to include technical modifications. National Differences: EU Group Differences, AU, CA, DK, IT, JP, NZ, GB, US <input checked="" type="checkbox"/> <a href="#">Additional Information on page 2</a>
A sample of the product was tested and found to be in conformity with	IEC 62368-1:2014
As shown in the Test Report Ref. No. which forms part of this Certificate	E183223-4788449125-1 Am2 issued on 2023-08-23

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Denko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-08-24  
Original Issue Date: 2018-07-16

Signature: Thomas Wilson



Ref. Certif. No.

**DK-74789-M2-UL**

**Factory(ies):**

SuZhou MEAN WELL Technology Co., Ltd.  
No. 77, Jian-min Road, Dong-qiao, Pan-yang Ind.  
Park, Huang-dai Town, Xiang-cheng District,  
Suzhou, Jiangsu 215152,  
China

MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD  
No.11 Jingu South Road, Huadu District,  
Guangzhou, Guangdong 510890,  
China

YONGDEN TECHNOLOGY CORPORATION  
345 MacArthur HighWay, Tabang, Guiguinto,  
Bulacan 3015,  
Philippines

SuZhou MEAN WELL Technology Co., Ltd.  
No.269, Changping Road, Huangdai Town,  
Xiangcheng District, Suzhou, Jiangsu,  
China

MEAN WELL INDIA ELECTRONICS PRIVATE LIMITED  
9C, Peenya industrial area, Chokkasandra, 2ND  
PHASE, PEENYA, Bengaluru (Bangalore) Urban,  
Karnataka, 560058,  
India

**Additional Model Detail(s):**

EPS-x-y, (x=25, 35, y=3.3, 5, 7.5, 12, 15, 24, 27, 36, 48)

**Additional Ratings:**

O/P: See Test Report for details.

**Summary of Modifications:**

1. Update the CBTL and applicant's address.;
2. Add/Update the name and address of factories and applicant
3. Add/Update the National Differences.

**Additional information (if necessary)**



- UL Solutions (US), 333 Pflugsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-08-24

Signature:

Original Issue Date: 2018-07-16

Thomas Wilson